

	Hits	Search Text	DBs
1	2	"6167037".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2	"5673260".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	5	("5111478" "5329547" "5345469" "5535239" "5790588").PN.	USPAT
4	7	("4455662" "4672658" "4759034" "4969159" "5022047" "5103459" "5179571").PN.	USPAT
5	1	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (((repetition adj period) or length) with "same" with (data or information or input) with (short or long or multiply or multiplex or mix)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (((repetition adj period) or length) with "same" with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	12	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	"5103459".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	729	((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	3	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and ((group adj of adj base adj stations) or network) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	0	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (group adj of adj base adj stations) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (group with (stations or station)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	17	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (((repetition adj period) or length) with "same" with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	2	(cdma) and (((repet\$7 or repeat\$7) adj period\$7) or length\$7) with ("same" or equal\$7 equiv\$7) with (data or information\$7 or input\$7) with (short\$7 or long\$7) and ((group\$7 or batch\$7) with (station\$7)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	17	((375/130, 375/140, 375/141, 375/146, 375/147).ccIs.) and (bas\$7 near2 station\$7 near2 group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	15	((375/130, 375/140, 375/141, 375/146, 375/147).ccIs.) and (bas\$7 near2 station\$7 near2 group\$7) and (repeat\$7 or repet\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2	((375/130, 375/140, 375/141, 375/146, 375/147).ccIs.) and (bas\$7 near2 station\$7 near2 group\$7) and ((repeat\$7 or repet\$7) near2 period\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	23	(base near2 station\$7 near2 group\$7) and ((repeat\$7 or repet\$7) near2 period\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2	(base near2 station\$7 near2 group\$7 near2 (identif\$7 or id\$2 or cod\$7)) and ((repeat\$7 or repet\$7) near2 period\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	12	(("5920554") or ("6594238") or ("6011787") or ("5920554") or ("6608823") or ("6574205") or ("6169752") or ("6594238") or ("6011787")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	1	wo-18029-.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2	ep-1096710-.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	10	((identi\$7 or id\$2) near2 group\$7 near2 (base adj stations\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1	(spread\$7 near2 (cod\$7 or (identi\$7 or id\$2) near2 group\$7 near2 (base adj stations\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	1	(spread\$7 near2 group\$7 near2 (base adj stations\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	109	(spread\$7 near2 (base adj stations\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	20	(spread\$7 adj2 (base adj stations\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	742	(spread\$7 near2 group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	39	((spread\$7 near2 (group\$7 or set\$7)) with (base adj station\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	1	jp-06501349-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	ep-825737-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2	("6011787").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	190	cdma and common near2 cod\$3 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	14	((common near2 cod\$3) same locat\$7) and cellular and communicat\$7 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	142	((common or "same") near2 cod\$3) same locat\$7) and cellular and communicat\$7 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
37	0	((common or "same") near2 cod\$3) same locat\$7) and ((common or "same") near2 cod\$3) with (group near2 (id or identifica\$7))) and cellular and communicat\$7 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	3	((common or "same") near2 cod\$3) same locat\$7) and ((common or "same") near2 cod\$3) with (group near2 (id or identifica\$7))) and communicat\$7 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	20	("5689809").URPN.	USPAT
40	7	("3925750" "4023176" "4596988" "4968629" "5068654" "5210534" "5218716").PN.	US-PGPUB; USPAT; USOCR
41	8	(S39 or S40) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	54	(group\$7 near2 ((bas\$3 or cell\$7) near2 (station\$7 or (sit\$3 or tower\$7 or antenna\$7 or transmit\$7))) with cod\$3) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	3	(group\$7 near2 ((bas\$3 or cell\$7) near2 (station\$7 or (sit\$3 or tower\$7 or antenna\$7 or transmit\$7))) with ((common or "same") near2 cod\$3)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
44	10	((second\$7 near2 spread\$7 near2 cod\$3) with (id\$3 or identif\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	1	((second\$7 near2 spread\$7 near2 cod\$3) with (id\$3 or identif\$7)) with group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	1	((second\$7 near2 spread\$7 near2 cod\$3) with (id\$3 or identif\$7)) same group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	209	((second\$7 near2 cod\$3) with (id\$3 or identif\$7)) same group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	3	((second\$7 near2 spread\$7) with (id\$3 or identif\$7)) same group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	158	((second\$7 near2 cod\$3) with (id\$3 or identif\$7)) with group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	3	((((second\$7 near2 cod\$3) same spread\$7) with (id\$3 or identif\$7)) with group\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	((group\$7 or set\$3) near2 (indicat\$7 or id\$3 or identificat\$7)) with (second\$7 near2 (spread\$7 or pn\$3) near2 cod\$3) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
52	1	((group\$7 or set\$3) near7 (indicat\$7 or id\$3 or identificat\$7)) with ((second\$7 or next) near2 (spread\$7 or pn\$3) near2 cod\$3) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	3	("5345467" "5799010" "5805584").PN.	US-PGPUB; USPAT; USOCR
54	8	("5956368").URPN.	USPAT
55	4	S53 or S54 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	0	long\$1cod\$3 with (group\$3 or set\$3) with (id\$3 or indentif\$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	1	long\$1cod\$3 with locat\$7 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	1	long\$1cod\$3 with (id\$3 or identif\$14) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	0	long\$1cod\$3 with (group\$7 or set\$3) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	10	("6011787").URPN.	USPAT
61	9	("5193109" "5230081" "5309474" "5535423" "5570373" "5673260" "5751761" "5771449" "5841806").PN.	US-PGPUB; USPAT; USOCR

	Hits	Search Text	DBs
62	29	("5111478" "5329547" "5345469" "5535239" "5790588").PN. OR ("6167037").URPN.	US-PGPUB; USPAT; USOCR
63	24	S60 or S61 or S62 and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	67	(375/130, 375/140, 375/141, 375/146, 375/147, 375/219, 375/220, 375/224, 375/377, 375/295, 375/316, 375/259, 455/450, 455/446, 455/447, 455/456.6, 455/456.1, 455/422.1, 455/403, 455/3.01, 455/39, 455/500, 455/73, 455/91, 455/95, 455/130, 370/464, 370/431, 370/310).ccls. and second\$7 with (common\$7 near2 (channel\$7 or frequenc\$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	1	(375/130, 375/140, 375/141, 375/146, 375/147, 375/219, 375/220, 375/224, 375/377, 375/295, 375/316, 375/259, 455/450, 455/446, 455/447, 455/456.6, 455/456.1, 455/422.1, 455/403, 455/3.01, 455/39, 455/500, 455/73, 455/91, 455/95, 455/130, 370/464, 370/431, 370/310).ccls. and (second\$7 near2 spread\$7) with (common\$7) with (id\$3 or identif\$14) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
66	180	("0027738" "3934203" "3978436" "4021898" "4051448" "4100498" "4131484" "4163944" "4217563" "4222115" "4247942" "4314393" "4355411" "4418393" "4418425" "4432089" "4445256" "4455651" "4456793" "4484028" "4517679" "4525835" "4550414" "4561089" "4562370" "4563774" "4567588" "4569062" "4601047" "4606039" "4612637" "4621365" "4622854" "4641317" "4642505" "4647863" "4649549" "4653069" "4660164" "4672254" "4672658" "4680785" "4691326" "4701904" "4703474" "4707839" "4718080" "4724435" "4736371" "4742512" "4745378" "4754453" "4754473" "4759034" "4759078" "4769812" "4787093" "4800885" "4804938" "4805208" "4807222" "4813057" "4815106" "4833702" "4837786" "4837802" "4860307" "4866732" "4878238" "4893327" "4894842" "4901307" "4905221" "4918689" "4918690" "4943973" "4965759" "4979186"	US-PGPUB; USPAT; USOCR

		<p>"4995083" "5005183" "5016255" "5018165" "5022047" "5023887" "5025452" "5042050" "5056109" "5073900" "5101501" "5109390" "5166929").PN. OR ("5455822").URPN.</p>	
67	4	(second\$7 near2 spread\$7) with (common\$7) with (id\$3 or identif\$14) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
68	1	<p>(375/130, 375/140, 375/141, 375/146, 375/147, 375/219, 375/220, 375/224, 375/377, 375/295, 375/316, 375/259, 455/450, 455/446, 455/447, 455/456.6, 455/456.1, 455/422.1, 455/403, 455/3.01, 455/39, 455/500, 455/73, 455/91, 455/95, 455/130, 370/464, 370/431, 370/310).ccls. and (second\$7 near2 spread\$7) with (common\$7) with (id\$3 or identif\$14) and @ad<"19980507"</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB